	Application No.	Applicant(s)	7/1/>
Notice of Allowability	09/505,458	ROSEN ET AL.	(,)
	Examiner	Art Unit	
	Frances P. Oropeza	3762	
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL- NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 35) or other appropriate commurer RIGHTS. This application is su	this application. If not include nication will be mailed in due of	ed course. THIS
1. \boxtimes This communication is responsive to <u>Amendment (6/3/0</u>	<u>)4)</u> .		
2. The allowed claim(s) is/are <u>1-60</u> .			
3. \boxtimes The drawings filed on <u>11 February 2002</u> are accepted b	y the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents had 2. ☐ Certified copies of the priority documents had 3. ☐ Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ave been received. ave been received in Application	No	ion from the
Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the req	uirements
5. A SUBSTITUTE OATH OR DECLARATION must be sull INFORMAL PATENT APPLICATION (PTO-152) which g			OTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") n (a) including changes required by the Notice of Draftsp 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examin Paper No./Mail Date Paper No./Mail Date Identifying indicia such as the application number (see 37 CF) each sheet. Replacement sheet(s) should be labeled as such	erson's Patent Drawing Review er's Amendment / Comment or i	n the Office action of edrawings in the front (not the	back) of
7. DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMEN			lote the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-94) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Depos of Biological Material	8) 6. ⊠ Interview Su Paper No./N B/08), 7. ⊠ Examiner's A	ormal Patent Application (PTC mmary (PTO-413), Mail Date <u>8/18/04</u> . Amendment/Comment Statement of Reasons for Allo	·

Application/Control Number: 09/505,458

Art Unit: 3762

ALLOWANCE

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview between Peter J. Phillips and Frances P. Oropeza on 8/18/04.

The application has been amended as follows:

<u>In claim 1, line 6</u>, after "periodic" the following has been inserted ---pacing level--.

In claim 12, line 7, "pacemaker" has been changed to --pacing level--.

<u>In claim 20, line 7</u>, after "periodic" the following has been inserted --pacing level--.

In claim 31, line 7, "pacemaker" has been changed to --pacing level--.

In claim 39, line 6, after "periodic" the following has been added --pacing level--.

In claim 50, line 6, "pacemaker" has been changed to --pacing level--.

In claim 58, line 6, "pacemaker" has been changed to --pacing level--.

In claim 59, line 6, "pacemaker" has been changed to --pacing level--.

<u>In claim 60, line 6,</u> "pacemaker" has been changed to --pacing level--.

Reasons for Allowance

2. Claims 1-60 are allowed. The following is an examiner's statement of reasons for allowance: The subject matter of the independent claims could either not be found or was not

suggested in the prior art. The subject matter not found was "a method/ device of treating the heart to remodel gap junctions/ alter the effective refractory periods/ induce ion channel remodeling" by applying "periodic pacing level signals", in combination with the other elements of the claims.

Page 3

Examiner Oropeza found the arguments filed by Mr. Phillips on 6/3/04 to be convincing. Mr. Phillips argued the instant invention uses excitatory electrical fields to treat the heart while the prior art of record, Ben-Haim et al. (US 6363279), uses non-excitatory electrical fields. The independent claims of the instant invention were amended by Examiner's Amendment to include the use of "periodic pacing level electrical signals", which creates the excitatory field and distinguished the instant invention over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this or earlier communications from the Examiner should be directed to Fran Oropeza whose telephone number is (703) 605-4355. The Examiner can normally be reached on Monday – Friday from 9 a.m. to 5:30 p.m.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Angela D. Sykes can be reached on (703) 308-5181. The fax phone numbers for the

Art Unit: 3762

organization where this application or proceeding is assigned are (703) 872-9306 for regular and for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist at telephone number is (703) 308-0858.

Frances P. Oropeza Patent Examiner Art Unit 3762

> JEFFREY R. JASTRZAB PRIMARY EXAMINER

> > -136/69